

FEB 20 2007

Serial No. 10/677,398  
Amendment and Response to Office Action  
Mailed: 22 September 2006

**Amendments to the Claims**

The following is a complete listing of the claims, which replaces all previous versions and listings of the claims.

1. (Previously Amended) An apparatus, comprising: a non-blocking grouping mechanism that groups entries of data, and returns distinct entries of data substantially concurrently with processing following grouping of data.
2. (Original) The apparatus of claim 1, further comprising an overflow mechanism by which data that includes the groups of entries of data that were grouped by the non-blocking grouping mechanism can be written from a primary memory to a secondary memory when the primary memory reaches an overflow condition.
3. (Original) The apparatus of claim 1, further comprising: an overflow mechanism by which data that includes the groups of entries of data that were grouped by the non-blocking grouping mechanism can be written from a primary memory to a secondary memory when the primary memory reaches an overflow condition; and a return mechanism by which the data can be returned from the secondary memory back to the primary memory, and whereupon the data is being returned to the user substantially concurrently with the rest of the data being processed by the non-blocking grouping mechanism.

Serial No. 10/677,398  
Amendment and Response to Office Action  
Mailed: 22 September 2006

4. (Original) The apparatus of claim 1, wherein the primary memory includes a primary Random Access Memory (RAM).
5. (Original) A method of providing concurrent grouping, comprising: receiving input entries of data; filtering out recurring entries of data from the input entries of data; and returning distinct entries of data from the input entries of data to the user substantially concurrently with the receiving input entries of data.
6. (Original) The method of claim 5, wherein the method accommodates memory overflow by selected portions of the entries of data in a primary memory being flushed to a secondary memory to alleviate memory pressure.
7. (Original) The method of claim 5, wherein the method accommodates a memory overflow, wherein clusters of entries of data are written from a primary memory to a secondary memory when the primary memory runs out of memory, and wherein the primary memory overflows into the secondary memory by flushing one of its clusters of entries of data into the secondary memory and releasing certain ones of its in-memory buffers.
8. (Original) The method of claim 5, further comprising returning entries of data in a non-blocking fashion concurrently with other entries of data being processed.

Serial No. 10/677,398  
Amendment and Response to Office Action  
Mailed: 22 September 2006

9. (Original) A method of grouping entries of data, comprising: prior to a potential overflow within a primary memory, grouping each input row of data and returning the data in a non-blocking fashion; and in case of the overflow, ensuring that the user eventually receives the correct remaining rows.

10. (Original) A method of grouping entries of data, comprising: segmenting the groups into clusters that limit a potential overflow to one cluster at a time; prior to the potential overflow, all clusters perform work in a non-blocking fashion; and in case of the overflow, transferring clusters one at a time from the primary memory to the secondary memory, while the remaining non-transferred clusters can still function in a non-blocking fashion.

11. (Original) A method of grouping entries of data, comprising: prior to a potential overflow within a primary memory, grouping each input row of data and returning the data in a non-blocking fashion; and in case of the overflow in which at least some of the data is transferred from the primary memory to a secondary memory, this data on the secondary memory is later processed in a non-blocking fashion concurrently with processing the remaining data.

Serial No. 10/677,398  
Amendment and Response to Office Action  
Mailed: 22 September 2006

12. (Previously Amended) An apparatus, comprising: a non-blocking grouping mechanism that groups entries of data, and returns distinct entries of data substantially concurrently with processing following entries of data to be grouped. an overflow mechanism by which data that includes the groups of entries of data that were grouped by the non-blocking grouping mechanism can be written from a primary memory to a secondary memory when the primary memory reaches an overflow condition; and a return mechanism by which the data can be returned from the secondary memory back to the primary memory, and whereupon the data is being returned to the user substantially concurrently with the rest of the data being processed by the non-blocking grouping mechanism; a select mechanism by which a prescribed number of output groups are requested by the user, wherein operation of all of the non-blocking grouping mechanism, the overflow mechanism, and the return mechanism are halted when the requested prescribed number of output groups is reached.